


SLV Series



[Main Application]

- Main control valves for skid steer loaders, compact track loaders, etc.

[Features]

- Integration of arm and bucket operation valves and horizontal control valve
- Realization of bucket leveling operation by arm operation only

■ Specification


		SLV75
Structure		Mono-block Type
Number of Pumps		1
Max. Pressure	MPa	24,5
Rated Flow Rate	L/min	75
Spool Operation	Manual	-
	Pilot	✓
	Solenoid	-
Self Leveling	Up	✓
	Down	-
	Cancellation	-
	Divider Ratio Adjustment	✓

✓: Available

■ Optional Functions

		SLV75
Accessory Valve		✓
Option Section		✓
Floating	Arm	✓
Port Size	Arm	G1/2
	Bucket	G1/2
	Option Section	G3/4


✓: Available



■ Outline Dimensions

		SLV75
A	mm	118
B	mm	325
C	mm	213

NLSV Series



[Main Application]

- Main control valves for elevated work vehicles, mini hydraulic excavators, etc.

[Features]

- Utilization of proprietary road sensing system
- Excellent combined operability with pressure compensation and anti-saturation function
- Selectable hydraulic pilot operation and electromagnetic proportional operation

■ Specification

		NLSV14
Structure		Sectional Type
Number of Pumps		1
Max. Pressure	MPa	29,4
Rated Flow Rate	L/min	80
Spool Operation	Manual	-
	Pilot	✓
	Solenoid	✓
Standard Number of Blocks		6
Additional Blocks		✓

✓: Available

■ Optional Functions

		NLSV14
Pressure Compensator		✓
Anti-saturation		✓
Regeneration		✓
Pressure Rise (M/R)		✓

✓: Available

■ Outline Dimensions

		NLSV14
A	mm	169
B	mm	321,9
C	mm	Depends on number of blocks
Bank Width	mm	38